

**INTEGRAL COACH FACTORY, CHENNAI - 38.**

TO BE CERTIFIED BY A DOCTOR

(Not below the rank of Assistant Surgeon of the Central/State Medical Services)

1. Name of the candidate :
2. Height | 137 cms }  
Weight | 25.4 Kgs } Minimum :  
Chest Expansion | Not } Standard :  
Less than 3.8 cms. }
3. EYES  
Minimum Standard of Visual Acuity.  
6/18 in each eye or  
6/12 in one eye and  
6/24 in other eye without glasses or  
6/19 with glasses in both the eyes.  
(Vision in one eye shall be rejected):
4. EARS:  
Good hearing without supportive disease.  
No hearing aid is permitted :
5. SKIN:  
No evidence of acute or  
Chronic skin disease or  
Chronic ulceration. :
6. SPEECH:  
Should be perfect without  
Impediment :
7. ALIMENTARY SYSTEM:
  - i) Should have sufficient number of natural teeth
  - ii) Spleen should not be palpably enlarged. :
  - iii) Liver should not be palpable or tender :
  - iv) No oral sepsis. :
  - v) No sugar in urine. :
  - vi) Should not suffer from Haemorrhoids fissures in  
and pistula anal-hernia or bubunocele for  
ischio-rectal abscess or hydrocele. :

8. CARDIO VASCULAR SYSTEM :
  - i) Blood pressure should not exceed 85 diastolic and 140 systolic. :
  - ii) Low BP with systolic below 100 should be rejected :
  - iii) No sign of cardio vascular disease. :
9. RESPIRATORY SYSTEM :

No deformity of chest causing impediment to breathing :
10. GENITO URINARY SYSTEM:

No Genito urinary disease or abnormality. :
11. SKELETAL SYSTEM:

All limbs are within normal limits. :
12. NERVOUS SYSTEM :

No disease of Nervous system or any mental disease. :
13. GLANDULAR SYSTEM :

No evidence of Tuberculosis or disease of Glandular System including endocrine glands. :
14. X'RAY OF LUNGS. :
15. BLOOD GROUP. :

Certified that the above named candidate is fit to undergo Apprenticeship training.

DATE:

HOSPITAL SEAL:

SIGNATURE OF THE GOVERNMENT  
AUTHORISED DOCTOR (GAZETTED)  
(NOT BELOW THE RANK OF ASST.  
SURGEON OF CENTRAL/STATE  
GOVERNMENT MEDICAL SERVICES)

NAME OF THE DOCTOR: